## ICD 10 codes for HIV screening:

Z11.4 Encounter for screening for HIV

Z20.6 Contact with and (suspected) exposure to HIV

Z20.9 Contact with or exposure to communicable disease

Z91.89 At risk for HIV due to (all options use the same code):

Being caregiver of HIV-positive person

Due to bisexual contact

Due to heterosexual contact

Due to homosexual contact

Due to injection of drugs

Due to occupational risk factor

Due to history of transfusion

Due to partner with HIV

Z53.20 HIV screening declined

#### Pacific AIDS Education & Training Center - Central Valley & Northern Interior

4150 V Street

\_\_\_

Suite G-500

\_\_\_

Sacramento, CA 95817

\_\_\_

Phone: 916-320-6764

\_\_\_


Fax: 916-734-7766

\_\_\_\_

aetc@ucdavis.edu

Pacific AIDS Education & Training Center - Central Valley & Northern Interior

# ICD 10 HIV Billing Codes



# ICD 10 codes for HIV counseling:

Z71.7 Encounter for HIV counseling

### ICD 10 codes for indeterminate HIV test:

R75 Indeterminate HIV result

### ICD 10 codes for false positive HIV test:

Z78.9 False positive HIV serology

#### ICD 10 codes for positive HIV test:

Z21 HIV test positive

# ICD 10 codes for HIV infection and monitoring:

Z21 Asymptomatic HIV infection

B20 Symptomatic HIV infection

B20 AIDS

B97.35 HIV, type 2

098.719 HIV affecting pregnancy

Z79.899 Encounter for long-term medication use

Z91.89 At risk for opportunistic infections



This project was supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) as part of an award totaling \$3,278,366. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by HRSA, HHS or the U.S. Government.