COMMON MISCONCEPTIONS ABOUT PROVIDING HCV TREATMENT TO PEOPLE WITH HIV WITH SUBSTANCE USE DISORDER(S)

Providers should screen patients for drug and alcohol use to determine eligibility for **HCV treatment**

Reality **Abstinence from drug** and alcohol use is not a prerequisite for HCV treatment. Screening for SUDs is to identify who would benefit from SUD treatment and harm reduction support.¹

Myth


People who inject drugs are at high risk of HCV reinfection.



Reality **Reinfection is rare** in people who are successfully treated for HCV, even if they **continue to inject** drugs.^{1,2} Myth **People who use** substances must have an undetectable **HIV viral load before** they are treated for HCV.



Reality **HIV viral** suppression is not a requirement for **HCV treatment in** coinfected people.³ Myth **Providing HCV** treatment to people who use substances is not cost effective.



Reality **Completion of HCV treatment** among even a modest number of people who use substances is **cost effective**.⁴

References

1. The American Association for the Study of Liver Diseases and the Infectious Diseases Society of America (AASLD-IDSA). Recommendations for testing, managing, and treating hepatitis C. http://www.hcvguidelines.org. Key Populations: Identification and Management of HCV in People Who Inject Drugs. https://www.hcvguidelines.org/unique-populations/pwid

2. Latham NH, Doyle JS, Palmer AY, et al. Staying hepatitis C negative: A systematic review and meta-analysis of cure and reinfection in people who inject drugs. Liver Int. 2019 Dec;39(12):2244-2260.

3. The American Association for the Study of Liver Diseases and the Infectious Diseases Society of America (AASLD-IDSA). Recommendations for testing, managing, and treating hepatitis C. Patients With HIV/HCV Coinfection. https://www.hcvguidelines.org/unique-populations/hiv-hcv

4. Martin NK, Vickerman P, Miners A, et al. Cost-effectiveness of hepatitis C virus antiviral treatment for injection drug user populations. Hepatology 2012;55:49-57.

For more information visit https://aidsetc.org/resource/myths-about-providing-hcv-treatment-people-hivsubstance-use-disorders

